





# T B X L G

Tri-colour easy switch technology from cool white or neutral white or warm white

Suitable for offices and schools where a low glare solution is required

Low glare I-Tec diffuser provides glare reduction to EN-12464



LIAQA AWARD  
WINNER 2017



ACCREDITED  
SUPPLIER

Lighting for  
**a Living**

# TBX LG

## LOW GLARE LED BATTEN

5 YR

IP20



3000K

4000K

5000K

### FEATURES

- > Low glare I-Tec diffuser provides glare reduction to EN-12464
- > Tri-colour easy switch technology from cool white (5000K) or neutral white (4000K) or warm white (3000K)
- > Suitable for offices and schools where a low glare solution is required
- > Available in standard or high outputs in 1200, 1500 and 1800mm models
- > Easy to fit construction with separate spine fixing
- > Ideal replacement for T8 or T5 surface modules
- > CRI: Ra>80
- > Up to 117 lumens per Watt efficacy
- > 50,000 hours lifetime (L70/B50)

### CONSTRUCTION


- > Extruded aluminium finished in white (RAL 9010)
- > Polycarbonate I-Tec diffuser
- > Polycarbonate end caps
- > Integral driver

### TO SPECIFY ORDER

Low glare LED Batten as per Tamlite TBX range

### INSTALLATION NOTES

Surface mount via rear entry BESA fixings or suspended via 3.0 metre wire suspension kit



### LOW GLARE LED BATTEN

Order Code	Description	lm	W	lm/W	A (mm)	B (mm)	C (mm)	kg
TBXLG418TRI	18W - Tri-Colour - 1200mm	2000	18	111	1200	120	60	2.07
TBXLG522TRI	22W - Tri-Colour - 1500mm	2400	22	109	1500	120	60	2.61
TBXLG627TRI	26W - Tri-Colour - 1800mm	2900	26	112	1800	120	60	3.10
TBXLG432TRI	31W - Tri-Colour - 1200mm	3400	31	110	1200	120	60	2.16
TBXLG540TRI	39W - Tri-Colour - 1500mm	4400	39	113	1500	120	60	2.71
TBXLG649TRI	46W - Tri-Colour - 1800mm	5400	46	117	1800	120	60	3.20



SUITABLE FOR OFFICES AND SCHOOLS WHERE A  
LOW GLARE SOLUTION IS REQUIRED





# Contact Us

## Sales Centre

Tamlite Field Sales Centre,  
Park Farm Industrial Estate,  
Redditch, Worcestershire,  
B98 0HU

T. +44 1527 517 777  
E. [sales@tamlite.co.uk](mailto:sales@tamlite.co.uk)  
W. [tamlite.co.uk](http://tamlite.co.uk)

