




Vision Smart Lighting

Emergency Application Guide



tamllite.co.uk/visionsmart





Luminaires Used

- ESLD3VS: ELITE SL – emergency downlight, 2W, Vision Smart Enabled x 4
- ELXMD3E3VS: ELITE EB – emergency exit box, 4W, Arrow Down, Vision Smart Enabled x 1


Open Plan Areas

- 6 emergency fittings providing c.0.5 lux average
- Emergency downlights implemented around the office, highlighting escape routes
- Emergency signage by doors signifying routes out of the room

Please see full application guide for additional options










Escape Route

- 7 emergency luminaires providing c.1 lux average
- Self-testing emergency fittings highlight the quickest escape route out of the building
- Combination of downlights and signage ensures sufficient illumination on the ground




Luminaires Used

- ELDD3E3VS: ELITE DL – emergency drop light, 3W, Arrow Down, Vision Smart Enabled x 2
- ELXMD3E3VS: ELITE EB – emergency exit box, 4W, Arrow Down, Vision Smart Enabled x 1
- ESLD3VS: ELITE SL – emergency downlight, 2W, Vision Smart Enabled x 3

Please see full application guide for additional options





Open Plan Areas

- 8 emergency luminaires providing c.0.5 lux average
- Wireless Emergency self-test, dedicated high output fittings for a small, open area warehouse

Luminaires Used

- ELXMD3E3VS: ELITE EB – emergency exit box, 4W, Arrow Down, Vision Smart Enabled x 2
- ELTD3VS: ELITE TS – emergency twinspot, 2W, Vision Smart Enabled x 6

Please see full application guide for additional options





Lighting for **a Living**



+44 (0)1527 517 777
sales@tamlite.co.uk

Tamlite Park Farm Industrial Estate
Redditch, Worcestershire B98 0HU

tamlite.co.uk/visionsmart